

PCQ-XT Series

RAZR INTERACTIVE DISPLAY

- Premium 4K Display: Features a 4K UHD resolution with Zero Bonding technology
- Advanced Multi-Touch: Supports up to 40 touch points with high precision
- Powerful Performance: Driven by the RK3576 octa-core chipset and running on Android 16.
- Integrated AI Conferencing: Built-in 48MP AI Camera and an 8-array microphone system
- High-Speed Connectivity: Equipped with WiFi 6+, Bluetooth 5.4.
- With Built-in Concealed Accessory Drawer (Only 75XT/86XT)
- OS Compatibility : Windows® 7-12, OS X® 10.8 to 10.11, macOS® Sierra 10.12.1 or later Linux® Ubuntu® 18.04 LTS, Chrome OS™



Seamless Integration with Google Tools



Official Access to the Google Play Store



Built-in Concealed Accessory Drawer (Only 75XT/86XT)

PCQ-65XT : SPECIFICATIONS

MODEL	PCQ-65XT
Size	65inch IFPD
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	1428.48mm(H)*803.52mm(V)
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 400cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 3mm
Bonding Type	Zero bonding
Front buttons	7
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	NO
Camera	48M AI,8mic

PCQ-75XT : SPECIFICATIONS

MODEL	PCQ-75XT
Size	75inch IFPD
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	1649.66mm(H)*927.94mm(V)
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 400cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 3mm
Bonding Type	Zero bonding
Front buttons	7
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	YES
Camera	48M AI,8mic

PCQ-86XT : SPECIFICATIONS

MODEL	PCQ-86XT
Size	86inch IFPD
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	1895.04mm(H)*1065.96mm(V)
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 400cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 3mm
Bonding Type	Zero bonding
Front buttons	7
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	YES
Camera	48M AI,8mic

PCQ-98XT : SPECIFICATIONS

MODEL	PCQ-98XT
Size	98inch IFPD
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	2158.85(H) x 1214.35(V)
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 400cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 3mm
Bonding Type	Zero bonding
Front buttons	7
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	No
Camera	48M AI,8mic

PCQ-100XT : SPECIFICATIONS

MODEL	PCQ-100XT
Size	100“ 3576
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	2203.2mm(H)*1239.3mm(V)
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 400cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 4mm
Bonding Type	Zero bonding
Front buttons	7
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	No
Camera	48M AI,8mic

PCQ-110XT : SPECIFICATIONS

MODEL	PCQ-110XT
Size	110inch IFPD
Frame Color	Black
Screen Type	TFT LCD
Aspect Ratio	16:9
Display Area	2436.48(H) x 1370.52 (V)mm
Viewing Angle	178°
Resolution	4K UHD (3840 x 2160 @ 60 Hz)
Back Light Unit	DLED
Color Glamut	NTSC 68%
Response Time	≤6.5ms
Refresh Rate	60Hz
Display Color	1.07Billion
Brightness	Typ 450cd/m²
Contrast Ratio (Static)	1200:1
Contrast Ratio (Dynamic)	5000:1
Glass Hardness (Tempered glass)	9H (pencil), 7 (Mohs)
Glass Type	AG Glass 4mm
Bonding Type	Zero bonding
Front buttons	1
IR Receiver & linght Sensor	Yes
Interface (Front) Cover	No
Continuous Touch Points	40
Gestures and Edge Swipes	Yes
Touch Technology	IR
Touch Accuracy	±2mm 90% Central area
Max Touch Response Time	5ms
Tracking Rate	>=5m/s
ScanRate	200 Hz
Pen Type	Battery-less
Pen Identities	3 mm
Annotation Over Any Source	Yes
Touch Hight	2.5mm
Tpye C PD	Tpye C(w/o DP)
USB2.0	2
Touch USB 2.0	1
HDMI-IN 2.0	1
USB3.0	1
Line In	1
Line OUT	1
USB2.0	2
Touch	1
Type C (OTG)	1
HDMI IN	1
RS232	1
RJ45 (10/100/1000M)	1
HDMI OUT	1
SPDIF	1
OPS slot (80pin)	1
WIFI&Blue tooth	Dual WIFI6+BT5.2
Operating System	Android™16
RAM	8GB
ROM	128
Chip	RK3576
CPU	A72*4+A53*4
GPU	Mali G52 MC3
OTA (Remote Over-the-Air Updates)	Yes
Speaker	2pcs
Power	2*20W
Drawer	No
Camera	48M AI,8mic